



ROAD

	Gennix A1						Gennix D1						Gennix E1					
Size	XS	S	M	L	XL	XXL	XS	S	M	L	XL	XXL		S	M	L	XL	
A- Seat tube length C/TOP	450	480	510	530	570	600		460	480	500	520	540	570		480	510	540	570
B- Horizontal Top tube length	520	537	554	574	591	605		515	530	545	560	580	595		526	546	565	591
C- Chainstay length C/C	405	405	405	407	407	407		415	415	415	415	415	415		412	415	415	418
D- Head tube height	106 inc. Top cap	129 inc. Top cap	149 inc. Top cap	170 inc. Top cap	191 inc. Top cap	208 inc. Top cap		115	125	140	155	175	195		147	167	192	225
E- Seat tube angle	74.5°	74°	73.5°	73°	73°	73°		74.5°	74.2°	73.5°	73.5°	73°	72.5°		74°	73.5°	73.25°	72.5°
F- Head tube angle	71.5°	72.25°	73.25°	73.25°	73.35°	73.35°		71.5°	72.2°	73°	73°	73.5°	73.5°		71°	72.5°	72.75°	73°
G- Bottom bracket drop	74	74	71,5	71,5	69	69		72	72	69	69	67	67		71	69	69	67
H- Fork rake	49	49	43	43	43	43		53	45	45	45	45	45		53	45	45	45
I- Trail	61	57	57	57	56	56		59	64	59	59	56	56		60	59	58	56
J- Stand over height	731	757	784	807	833	854		734	750	770	789	806	830		742	768	798	824
K- Wheelbase	964	972	971	986	999	1011		981	980	985	1000	1012	1021		985	991	1005	1024
L- Stack	510	534	556	576	594	610		522	534	548	563	582	601		540	565	590	620
M- Reach	368	375	382	389	396	403		366	376	382	393	403	407		369	378	387	396

ROAD

	W's Gennix E1				Gennix TR1				Axis C				Axelle C				
Size	S	M	L		S	M	L	XL		S	M	L	XL		S	M	L
A- Seat tube length C/TOP	450	480	510		495	520	545	565		470	500	530	560		420	450	480
B- Horizontal Top tube length	506	526	546		503 @ 78°	525 @ 78°	545 @ 78°	567 @ 78°		526	545	566	583		508	520	539
C- Chainstay length C/C	412	412	415		395	395	395	395		410	410	410	410		410	410	410
D- Head tube height	125	147	167		86 inc. Top cap	111 inc. Top cap	136 inc. Top cap	161 inc. Top cap		140	160	190	210		130	145	165
E- Seat tube angle	74.5°	74°	73.5°		73-82°	73-82°	73-82°	73-82°		74°	73.5°	73°	72,75°		74.5°	74.5°	74°
F- Head tube angle	70.75°	71°	72.5°		71.5°	72°	72.5°	72.5°		71.5°	72.5°	72,75°	72,75°		70.5°	71.5°	71.5°
G- Bottom bracket drop	73	71	69		75	75	75	75		71	72	72	70		74	74	72
H- Fork rake	53	53	45		44	44	44	44		50	45	45	45		50	50	50
I- Trail	62	60	59		62	61	61	60		60	59	58	58		67	60	60
J- Stand over height	718	742	768		743	767	792	815		739	770	800	823		703	735	753
K- Wheelbase	969	985	991		963	987	1010	1034		984	984	1007	1012		979	983	998
L- Stack	520	540	565		494	518	542	566		539	562	589	608		528	546	563
M- Reach	360	369	378		395	412	428	445		371	378	386	395		362	369	378

	Axis D				Axelle D				Axis F				Axis Team	
Size	S	M	L	XL	S	M	L		S	M	L	XL	OS	
A- Seat tube length C/TOP	470	500	530	560		420	450	480		450	480	510	540	345
B- Horizontal Top tube length	526	545	566	583		508	520	539		555	575	596	619	450
C- Chainstay length C/C	415	415	415	415		415	415	415		430	430	430	430	375
D- Head tube height	130	155	175	195		120	135	155		130	140	160	190	100
E- Seat tube angle	74°	73.5°	73°	72,75°		74.5°	74.5°	74°		74°	73.5°	73°	72,5°	76°
F- Head tube angle	71.5°	71.5°	73°	73,25°		70.5°	71.5°	71.5°		71.5°	72°	72°	72°	70.5°
G- Bottom bracket drop	72	72	70	70		74	74	72		72	70	70	68	40
H- Fork rake	52	52	43	43		52	52	52		48	48	48	48	43
I- Trail	59	59	59	57		65	59	59		65	62	62	62	60
J- Stand over height	746	769	798	823		708	732	763		737	751	781	826	621
K- Wheelbase	991	1006	998	1010		987	991	1005		1032	1043	1060	1078	901
L- Stack	541	564	590	609		529	547	564		552	569	589	616	453
M- Reach	371	378	384	393		362	369	377		395	405	415	425	337

ADVENTURE

	Steeple				Garibaldi				Garibaldi Team 26		Gros Louis 0		
Size	S	M	L	XL	S	M	L	XL	OS	S	M	L	
A- Seat tube length C/TOP	520	540	560	580	470	500	530	560	380	406	457	505	
B- Horizontal Top tube length	520	540	555	570	527	545	564	582	490	580	605	625	
C- Chainstay length C/C	425	425	425	425	430	430	430	430	400	445	445	445	
D- Head tube height	110	125	140	150	105	130	140	175	100	100	110	130	
E- Seat tube angle	74.5°	74°	73.5°	73°	74°	73.5°	73°	72.75°	74°	73.5°	73°	73°	
F- Head tube angle	71°	71.5°	72°	72.5°	70.25°	71.5°	72.5°	72.75°	70°	68.5°	68.5°	68.5°	
G- Bottom bracket drop	66	66	66	66	80	77.5	77.5	75	60	60	60	60	
H- Fork rake	45	45	45	45	45	45	45	45	50	45	45	45	
I- Trail	71	68	65	61	76	68	61	59	65	95	95	95	
J- Stand over height	771	786	804	818	756	772	798	833	668	694	735	777	
K- Wheelbase	1000	1010	1017	1022	1011	1014	1019	1032	956	1103	1123	1145	
L- Stack	522	539	554	566	542	559	581	604	500	586	595	614	
M- Reach	375	386	391	397	370	378	386	394	346	406	423	437	

ALL-TERRAIN

ALL-TERRAIN

	Gros Louis 1-2				Duchess 2		Gros Louis 3				Gros Louis 24	
Size	S	M	L	XL	S	M	S	M	L	XL	OS	
A- Seat tube length C/TOP	395	445	495	545	355	406	395	445	495	545	305	
B- Horizontal Top tube length	583	611	634	657	547	571	580	611	635	657	536	
C- Chainstay length C/C	450	450	450	450	445	445	450	450	450	450	425	
D- Head tube height	105	115	125	135	100	110	105	115	125	135	110	
E- Seat tube angle	74°	73.5°	73.5°	73.5°	74	74	74°	73.5°	73.5°	73.5°	73	
F- Head tube angle	69°	69°	69°	69°	70	70	69°	69°	69°	69°	69.5°	
G- Bottom bracket drop	58	58	58	58	58	58	58	58	58	58	45	
H- Fork rake	51	51	51	51	51	51	45	45	45	45	43	
I- Trail	92	92	92	92	85	85	94	94	94	94	83	
J- Stand over height	767	793	817	846	742	762	747	773	809	838	682	
K- Wheelbase	1117	1140	1164	1188	1075	1099	1108	1133	1156	1180	1022	
L- Stack	594	604	613	622	580	590	578	587	596	606	530	
M- Reach	410	430	450	470	390	410	414	435	455	475	372	

ALL-TERRAIN

	Trust 272			W's Trust 272			Trust 273			Trust 264			
Size	S	M	L	S	M	L	S	M	L	XS	S	M	L
A- Seat tube length C/TOP	381	432	483	330	381	432	381	432	483	330	381	432	483
B- Horizontal Top tube length	547	573	600	520	547	573	547	573	600	525	540	559	581
C- Chainstay length C/C	435	435	435	435	435	435	435	435	435	430	430	430	430
D- Head tube height	95	110	125	100	95	110	110	125	140	90	100	110	130
E- Seat tube angle	73°	73°	73°	73°	73°	73°	73°	73°	73°	74,5°	74°	73°	72,5°
F- Head tube angle	69°	69°	69°	69°	69°	69°	69°	69°	69°	70,5°	71°	71°	71°
G- Bottom bracket drop	47	47	47	47	47	47	47	47	47	32	32	32	32
H- Fork rake	42	42	42	42	42	42	42	42	42	40	40	40	40
I- Trail	88	88	88	75	88	88	88	88	88	76	76	76	76
J- Stand over height	746	775	803	719	746	775	746	775	803	734	762	790	804
K- Wheelbase	1050	1078	1105	1023	1050	1078	1050	1078	1105	1022	1032	1041	1058
L- Stack	583	597	611	569	583	597	583	597	611	549	561	570	589
M- Reach	367	389	411	345	367	389	367	389	411	372	379	385	395

HYBRID

	e-M1 / e-M2			M1			M3			W's M3		
Size	S	M	L	S	M	L	S	M	L	S	M	L
A- Seat tube length C/TOP	406	457	508	406	457	508	406	381	432	330	381	432
B- Horizontal Top tube length	570	590	610	570	590	610	570	547	573	520	547	573
C- Chainstay length C/C	480	480	480	455	455	455	435	435	435	435	435	435
D- Head tube height	100	120	140	100	120	145	100	95	110	100	95	110
E- Seat tube angle	74°	73°	73°	74°	73°	73°	73°	73°	73°	73°	73°	73°
F- Head tube angle	71,5°	72°	72°	71°	71°	71,5°	69°	69°	69°	69°	69°	69°
G- Bottom bracket drop	70	70	70	70	70	65	47	47	47	47	47	47
H- Fork rake	48	48	48	44	44	44	42	42	42	42	42	42
I- Trail	77	73	73	77	73	73	75	88	88	75	88	88
J- Stand over height	754	787	827	754	787	827	719	746	775	719	746	775
K- Wheelbase	1100	1104	1127	1069	1080	1097	1023	1050	1078	1023	1050	1078
L- Stack	583	604	618	583	604	618	569	583	597	569	583	597
M- Reach	403	405	421	403	405	421	345	367	389	345	367	389

HYBRID

	Urbania				W's Urbania			
Size	S	M	L	XL	S	M	L	
A- Seat tube length C/TOP	435	470	505	540		400	430	460
B- Horizontal Top tube length	545	567	596	612		521	542	565
C- Chainstay length C/C	445	445	445	445		445	445	445
D- Head tube height	125	150	160	200		120	135	160
E- Seat tube angle	74°	73.5°	73°	72.5°		75°	74.5°	74°
F- Head tube angle	70.5°	70.5°	72°	72°		69.25°	70.5°	70.5°
G- Bottom bracket drop	70	70	65	65		70	70	70
H- Fork rake	50	50	45	45		50	50	50
I- Trail	70	70	69	65		78	70	70
J- Stand over height	741	769	801	830		706	745	770
K- Wheelbase	1050	1068	1073	1085		1050	1052	1072
L- Stack	550	574	598	624		541	560	584
M- Reach	387	397	406	415		375	387	398

HYBRID

	Espace 3			W's Espace 3		Espace 4			W's Espace 4		
Size	S	M	L	S/M	M/L	S	M	L	S/M	M/L	
A- Seat tube length C/TOP	440	470	500		410	440		440	470	500	
B- Horizontal Top tube length	581	603	629		551	581		570	596	624	
C- Chainstay length C/C	450	450	450		450	450		450	450	450	
D- Head tube height	110	130	140		100	110		160	185	210	
E- Seat tube angle	73.5°	73°	72.5°		74.5°	73.5°		73.5°	73°	72.5°	
F- Head tube angle	71°	71°	71°		71°	71°		71°	71°	71°	
G- Bottom bracket drop	70	65	65		70	70		70	65	65	
H- Fork rake	46	46	46		46	46		50	50	50	
I- Trail	71	71	71		71	71		65	65	65	
J- Stand over height	697	710	740		695	697		695	701	740	
K- Wheelbase	1080	1100	1119		1061	1080		1071	1095	1118	
L- Stack	625	634	643		610	625		586	604	628	
M- Reach	395	410	425		380	395		395	410	425	

JUNIOR

	Trust 241	Trust 201
Size	OS	OS
A- Seat tube length C/TOP	320	240
B- Horizontal Top tube length	518	455
C- Chainstay length C/C	405	375
D- Head tube height	100	100
E- Seat tube angle	71,5	70
F- Head tube angle	69	70
G- Bottom bracket drop	30	15
H- Fork rake	40	42
I- Trail	68	47
J- Stand over height	643	539
K- Wheelbase	968	868
L- Stack	489	417
M- Reach	345	303

JUNIOR

	Petit Louis 24 Petite Queen 24	Petit Louis 242 Petite Queen 242	Petit Louis 20 Petite Queen 20	Petit Louis 16 Petite Queen 16
Size	OS	OS	OS	OS
A- Seat tube length C/TOP	340	340	250	210
B- Horizontal Top tube length	511	511	458	405
C- Chainstay length C/C	405	405	354	300
D- Head tube height	130	130	110	90
E- Seat tube angle	73	73	71	70
F- Head tube angle	70	70	70	70
G- Bottom bracket drop	35	35	21	0
H- Fork rake	45	45	24	24
I- Trail	58	58	65	47
J- Stand over height	640	640	530	447
K- Wheelbase	977	977	837	729
L- Stack	477	477	407	337
M- Reach	365	365	318	282

JUNIOR

	Rapido 241	Rapido 242	Rapido 201	Rapido 202	Rapido 203
Size	OS	OS	OS	OS	OS
A- Seat tube length C/TOP	320	340	240	240	240
B- Horizontal Top tube length	513	504	455	455	455
C- Chainstay length C/C	405	405	375	375	360
D- Head tube height	120	120	100	100	100
E- Seat tube angle	71,5	73	70	70	70
F- Head tube angle	69	70	69	69	69
G- Bottom bracket drop	35	45	20	30	30
H- Fork rake	37	45	40	35	35
I- Trail	77	62	50	60	60
J- Stand over height	644	634	532	522	522
K- Wheelbase	967	966	873	863	848
L- Stack	509	483	418	416	416
M- Reach	342	356	303	303	303

JUNIOR

	F16 boy	F16 girl	F14 boy	F14 girl	F12 boy	F12 girl	Mini Will
Size	OS	OS	OS	OS	OS	OS	OS
A- Seat tube length C/TOP	216	216	190	190	170	170	127
B- Horizontal Top tube length	387	387	355	355	328	328	N/A
C- Chainstay length C/C	330	330	285	285	240	240	238
D- Head tube height	90	90	90	90	80	80	70
E- Seat tube angle	70	70	70	70	70	70	74
F- Head tube angle	69	69	69	69	69	69	72
G- Bottom bracket drop	10	10	0	0	15	15	N/A
H- Fork rake	25	25	25	25	25	25	25
I- Trail	52	52	42	42	33	33	21
J- Stand over height	450	422	408	383	359	348	N/A
K- Wheelbase	747	747	673	673	605	605	566
L- Stack	344	344	314	314	260	260	278
M- Reach	262	262	241	241	233	233	221