

ROAD

	W's Gennix E1				Gennix TR1				Axis 1-2				Axelle 2				
Size	S	M	L		S	M	L	XL		S	M	L	XL		S	M	L
A- Seat tube length C/TOP	450	480	510		495	520	545	565		470	500	530	560		420	450	480
B- Horizontal Top tube length	506	526	546		503 @ 78°	525 @ 78°	545 @ 78°	567 @ 78°		526	545	566	583		508	520	539
C- Chainstay length C/C	412	412	415		395	395	395	395		410	410	410	410		410	410	410
D- Head tube height	125	147	167		86 inc. Top cap	111 inc. Top cap	136 inc. Top cap	161 inc. Top cap		140	160	190	210		130	145	165
E- Seat tube angle	74.5°	74°	73.5°		73-82°	73-82°	73-82°	73-82°		74°	73.5°	73°	72.75°		74.5°	74.5°	74°
F- Head tube angle	70.75°	71°	72.5°		71.5°	72°	72.5°	72.5°		71.5°	72.5°	72.75°	72.75°		70.5°	71.5°	71.5°
G- Bottom bracket drop	73	71	69		75	75	75	75		72	72	70	70		74	74	72
H- Fork rake	53	53	45		44	44	44	44		50	45	45	45		50	50	50
I- Trail	62	60	59		62	61	61	60		66	59	58	58		67	60	60
J- Stand over height	718	742	768		743	767	792	815		741	772	802	825		703	735	753
K- Wheelbase	969	985	991		963	987	1010	1034		985	984	998	1012		979	983	998
L- Stack	520	540	565		494	518	542	566		542	562	589	608		528	546	563
M- Reach	360	369	378		395	412	428	445		372	379	386	394		362	369	378

	Axis 4				Axelle 4				Axis F3				
Size	S	M	L	XL		S	M	L		S	M	L	XL
A- Seat tube length C/TOP	470	500	530	560		420	450	480		450	480	510	540
B- Horizontal Top tube length	526	545	566	583		508	522	539		555	575	596	619
C- Chainstay length C/C	415	415	415	415		415	415	415		430	430	430	430
D- Head tube height	130	150	180	200		130	140	160		130	140	160	190
E- Seat tube angle	74°	73.5°	73°	72.75°		74.5°	74.5°	74°		74°	73.5°	73°	72.5°
F- Head tube angle	71.5°	72.5°	72.75°	72.75°		70°	71°	71.5°		71.5°	72°	72°	72°
G- Bottom bracket drop	72	72	70	70		74	74	72		72	70	70	68
H- Fork rake	50	45	45	45		50	50	50		48	48	48	48
I- Trail	68	59	58	58		76	69	66		65	61	61	61
J- Stand over height	739	770	795	823		705	728	755		739	767	793	830
K- Wheelbase	989	989	1004	1017		989	995	1004		1032	1043	1060	1078
L- Stack	539	563	590	609		535	548	568		552	570	589	616
M- Reach	372	378	387	394		360	370	376		397	406	415	425

ADVENTURE

	Steeple				Garibaldi C				Garibaldi AL-G2-G3				Garibaldi 4				Garibaldi Team 26
Size	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL	OS
A- Seat tube length C/TOP	520	540	560	580	520	540	560	580	460	490	520	550	460	490	520	550	380
B- Horizontal Top tube length	520	540	555	570	520	540	555	570	526	545	568	587	530	550	572	591	490
C- Chainstay length C/C	425	425	425	425	425	425	425	425	430	430	430	430	430	430	430	430	400
D- Head tube height	110	125	140	150	110	125	140	150	135	155	175	195	120	135	160	180	100
E- Seat tube angle	74.5°	74°	73.5°	73°	74.5°	74°	73.5°	73°	73.75°	73.5°	73°	72.75°	73.75°	73.5°	73°	72.75°	74°
F- Head tube angle	71°	71.5°	72°	72.5°	71°	71.5°	72°	72.5°	69.5°	70.5°	71°	71.5°	70°	71.5°	71.5°	72°	70°
G- Bottom bracket drop	66	66	66	66	66	66	66	66	72	72	72	72	72	72	72	72	60
H- Fork rake	45	45	45	45	45	45	45	45	53	53	53	53	45	45	45	45	50
I- Trail	71	68	65	61	71	68	65	61	75	69	62	59	81	71	71	68	65
J- Stand over height	771	786	804	818	771	786	804	818	743	768	792	817	745	768	794	813	668
K- Wheelbase	1000	1010	1017	1022	1000	1010	1017	1022	1024	1032	1046	1057	1015	1019	1036	1047	956
L- Stack	522	539	554	566	522	539	554	566	543	559	587	607	548	567	591	612	500
M- Reach	375	386	391	397	375	386	391	397	368	378	388	398	370	382	391	401	346

ALL-TERRAIN

	Gros Louis 0			Gros Louis 1				Gros Louis 2				Duchess 2		Gros Louis 3				Big Will
Grandeurs	S	M	L	S	M	L	XL	S	M	L	XL	S	M	S	M	L	XL	OS
A- Seat tube length C/TOP	406	457	505	395	445	495	545	395	445	495	545	355	406	395	445	495	545	320
B- Effective Top tube length	580	605	625	594	616	641	664	586	614	636	662	575	595	586	614	636	662	544
C- Chainstay length C/C	445	445	445	440	440	440	440	440	440	440	440	440	440	440	440	440	440	430
D- Head tube height	100	110	130	105	115	125	135	105	115	125	135	100	110	105	115	125	135	110
E- Seat tube angle	73.5°	73°	73°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73°	73°	73.5°	73.5°	73.5°	73.5°	71°
F- Head tube angle	68.5°	68.5°	68.5°	70.5°	70.5°	70.5°	70.5°	69°	69°	69°	69°	69°	69°	69°	69°	69°	69°	69°
G- Bottom bracket drop	60	60	60	68	68	68	68	68	68	68	68	68	68	68	68	68	68	60
H- Fork rake	45	45	45	40	40	40	40	51	51	51	51	51	51	51	51	51	51	51
I- Trail	95	95	95	93	93	93	93	92	92	92	92	92	92	92	92	92	92	89
J- Stand over height	694	735	777	728	744	763	781	726	742	761	780	742	762	726	742	761	780	733
K- Wheelbase	1103	1123	1145	1105	1126	1151	1175	1129	1153	1177	1202	1111	1132	1129	1153	1177	1202	1065
L- Stack	586	595	614	614	623	632	642	604	614	623	632	587	596	604	614	623	632	568
M- Reach	406	423	437	434	453	475	494	434	454	475	496	423	440	434	454	475	496	390

ALL-TERRAIN

	Trust 273			Trust 264				
Size	S	M	L		XS	S	M	L
A- Seat tube length C/TOP	381	432	483		330	381	432	481
B- Horizontal Top tube length	547	573	600		528	541	563	580
C- Chainstay length C/C	435	435	435		430	430	430	430
D- Head tube height	110	125	140		90	100	110	165
E- Seat tube angle	73°	73°	73°		74,5°	74°	73°	73°
F- Head tube angle	69°	69°	69°		69°	69°	69°	69°
G- Bottom bracket drop	47	47	47		40	40	40	40
H- Fork rake	42	42	42		40	40	40	40
I- Trail	87	87	87		92	92	92	92
J- Stand over height	746	775	803		720	744	774	850
K- Wheelbase	1052	1080	1107		1043	1052	1064	1082
L- Stack	584	598	612		559	566	578	596
M- Reach	369	391	413		372	378	387	399

ELECTRIC

	e-M2			e-M2 Step		e-Urbania			e-Espace Step				
Size	S	M	L		S/M	M/L		S	M	L		S/M	M/L
A- Seat tube length C/TOP	406	457	508		356	432		554	577	602		390	430
B- Horizontal Top tube length	565	600	637		521	585		435	470	505		558	597
C- Chainstay length C/C	480	480	480		480	480		450	450	450		450	450
D- Head tube height	100	120	140		90	110		120	150	180		185	185
E- Seat tube angle	73.5°	73°	72.5°		74°	73°		74°	73.5°	73°		74.5°	73.5°
F- Head tube angle	70°	72°	72°		70°	70°		70.5°	70.5°	71°		70°	70.5°
G- Bottom bracket drop	70	70	70		70	70		65	65	65		65	65
H- Fork rake	51	51	51		55	51		50	50	50		50	50
I- Trail	76	76	76		72	76		68	68	65		71	68
J- Stand over height	754	787	827		540	540		747	773	808		570	570
K- Wheelbase	1106	1136	1166		1071	1121		1170	1087	1102		1088	1109
L- Stack	576	595	614		565	586		565	593	623		600	626
M- Reach	393	416	439		357	404		390	400	410		390	410

HYBRID

	Urbania 1				Urbania 3-4-5				W's Urbania 3-4-5			
Size	S	M	L	XL	S	M	L	XL	S	M	L	XL
A- Seat tube length C/TOP	435	470	505	540	435	470	505	540	400	430	460	
B- Horizontal Top tube length	545	568	591	615	545	567	590	613	522	543	565	
C- Chainstay length C/C	450	450	450	450	450	450	450	450	450	450	450	
D- Head tube height	125	150	180	210	125	150	180	210	120	135	160	
E- Seat tube angle	74°	73.5°	73°	72.5°	74°	73.5°	73°	72.5°	75°	74.5°	74°	
F- Head tube angle	71°	71°	72°	72°	70.5°	70.5°	71°	71°	69°	70.5°	70.5°	
G- Bottom bracket drop	70	70	65	65	70	70	65	65	70	70	70	
H- Fork rake	45	45	45	45	50	50	50	50	50	50	50	
I- Trail	65	65	59	59	68	68	65	65	78	70	68	
J- Stand over height	758	781	813	843	741	768	802	831	719	742	769	
K- Wheelbase	1045	1064	1075	1093	1055	1074	1089	1108	1056	1061	1077	
L- Stack	551	580	607	635	551	574	599	628	540	559	584	
M- Reach	387	396	405	415	387	397	407	415	377	388	398	

HYBRID

	Espace 4-5			Espace Step 4-5	
Size	S	M	L	S/M	M/L
A- Seat tube length C/TOP	440	470	500	410	440
B- Horizontal Top tube length	570	596	624	539	570
C- Chainstay length C/C	450	450	450	450	450
D- Head tube height	160	185	210	140	160
E- Seat tube angle	73.5°	73°	72.5°	74.5°	73.5°
F- Head tube angle	71°	71°	71°	70°	71°
G- Bottom bracket drop	70	65	65	70	70
H- Fork rake	50	50	50	50	50
I- Trail	65	65	65	71	71
J- Stand over height	725	732	766	639	661
K- Wheelbase	1071	1095	1118	1060	1071
L- Stack	586	604	628	563	586
M- Reach	397	410	425	383	397

HYBRID

	M1			MX2-MX4		
Size	S	M	L	S	M	L
A- Seat tube length C/TOP	381	435	485	385	435	485
B- Horizontal Top tube length	551	587	623	572	605	641
C- Chainstay length C/C	430	430	430	440	440	440
D- Head tube height	110	130	155	110	125	140
E- Seat tube angle	73.5°	73°	72.5°	73.5°	73°	72.5°
F- Head tube angle	70°	70°	70°	69°	69°	69°
G- Bottom bracket drop	70	70	65	63	63	63
H- Fork rake	50	50	50	46	46	46
I- Trail	72	72	72	83	83	83
J- Stand over height	719	751	768	772	801	829
K- Wheelbase	1041	1072	1106	1087	1115	1146
L- Stack	553	572	596	618	632	646
M- Reach	387	412	435	389	412	437

JUNIOR

	Sumo 24	Trust 241boy	Trust 241girl	Trust 201boy	Trust 201girl
Size	OS	OS	OS	OS	OS
A- Seat tube length C/TOP	320	305	305	240	240
B- Horizontal Top tube length	507	527	527	453	453
C- Chainstay length C/C	405	405	405	375	375
D- Head tube height	100	100	100	100	100
E- Seat tube angle	72°	72°	72°	71°	71°
F- Head tube angle	69°	69°	69°	69°	69°
G- Bottom bracket drop	50	45	45	30	30
H- Fork rake	40	40	40	42	42
I- Trail	80	72	72	51	51
J- Stand over height	691	638	629	526	510
K- Wheelbase	990	986	986	878	878
L- Stack	563	521	521	445	445
M- Reach	348	358	358	300	300

JUNIOR

	Petit Louis 242 Petite Queen 242	Petit Louis 20 Petite Queen 20	Petit Louis 16 Petite Queen 16
Size	OS	OS	OS
A- Seat tube length C/TOP	305	250	210
B- Horizontal Top tube length	522	458	405
C- Chainstay length C/C	405	354	300
D- Head tube height	120	110	90
E- Seat tube angle	71.5°	71°	70°
F- Head tube angle	70°	70°	70°
G- Bottom bracket drop	45	21	0
H- Fork rake	45	24	24
I- Trail	56	65	47
J- Stand over height	620	530	447
K- Wheelbase	971	837	729
L- Stack	502	407	337
M- Reach	354	318	282

JUNIOR

	Rapido 241	Rapido 242	Rapido 201	Rapido 202	Rapido 203
Size	OS	OS	OS	OS	OS
A- Seat tube length C/TOP	305	305	240	240	240
B- Horizontal Top tube length	511	508	445	448	448
C- Chainstay length C/C	405	405	375	375	366
D- Head tube height	100	100	90	90	90
E- Seat tube angle	72.5°	73°	71.5°	71.5°	71.5°
F- Head tube angle	70.5°	70°	69°	69°	69°
G- Bottom bracket drop	45	45	30	45	45
H- Fork rake	33	45	40	35	35
I- Trail	73	63	55	60	60
J- Stand over height	674	620	536	490	511
K- Wheelbase	953	969	872	862	853
L- Stack	526	473	437	420	420
M- Reach	345	363	299	308	308

JUNIOR

	F20 boy	F20 girl	F16 boy	F16 girl	F14 boy	F14 girl	F12 boy	F12 girl	Mini Will
Size	OS	OS	OS	OS	OS	OS	OS	OS	OS
A- Seat tube length C/TOP	240	240	205	205	190	190	170	170	127
B- Horizontal Top tube length	448	448	387	387	355	355	328	328	N/A
C- Chainstay length C/C	366	366	326	326	285	285	235	235	238
D- Head tube height	90	90	90	90	90	90	80	80	70
E- Seat tube angle	71.5°	71.5°	70°	70°	70°	70°	70°	70°	72°
F- Head tube angle	69°	69°	69°	69°	69°	69°	69°	69°	72°
G- Bottom bracket drop	45	45	0	0	0	0	15	15	N/A
H- Fork rake	35	35	25	25	25	25	25	25	25
I- Trail	60	60	51	51	42	42	33	32	23
J- Stand over height	511	511	432	432	406	383	358	347	N/A
K- Wheelbase	853	853	747	747	673	673	600	600	566
L- Stack	420	420	344	334	314	314	260	260	266
M- Reach	308	308	265	265	241	241	233	233	212