



ROAD

	Gennix A1						Gennix E1				W's Gennix E1		
Size	XS	S	M	L	XL	XXL	XS	S	M	L	S	M	L
A- Seat tube length C/TOP	450	480	510	530	570	600							
B- Horizontal Top tube length	520	537	554	574	591	605	480	510	540	570	450	480	510
C- Chainstay length C/C	405	405	405	407	407	407	412	415	415	418	412	412	415
D- Head tube height	106 inc. Top cap	129 inc. Top cap	149 inc. Top cap	170 inc. Top cap	191 inc. Top cap	208 inc. Top cap	147	167	192	225	125	147	167
E- Seat tube angle	74.5°	74°	73.5°	73°	73°	73°	74°	73.5°	73.25°	72.5°	74.5°	74°	73.5°
F- Head tube angle	71.5°	72.25°	73.25°	73.25°	73.35°	73.35°	71°	72.5°	72.75°	73°	70.75°	71°	72.5°
G- Bottom bracket drop	74	74	71,5	71,5	69	69	71	69	69	67	73	71	69
H- Fork rake	49	49	43	43	43	43	53	45	45	45	53	53	45
I- Trail	61	57	57	57	56	56	60	59	58	56	62	60	59
J- Stand over height	731	757	784	807	833	854	742	768	798	824	718	742	768
K- Wheelbase	964	972	971	986	999	1011	985	991	1005	1024	969	985	991
L- Stack	510	534	556	576	594	610	540	565	590	620	520	540	565
M- Reach	368	375	382	389	396	403	369	378	387	396	360	369	378

ROAD

	Axis 2					Axis 4					Axelle 4			Axis F3			
Size	XS	S	M	L	XL	S	M	L	XL	S	M	L	S	M	L	XL	
A- Seat tube length C/TOP	440	470	500	530	560	470	500	530	560	420	450	480	450	480	510	540	
B- Horizontal Top tube length	508	526	545	566	583	526	545	567	583	508	522	540	555	575	596	619	
C- Chainstay length C/C	415	415	415	415	415	415	415	415	415	415	415	415	430	430	430	430	
D- Head tube height	110	130	155	175	195	130	155	180	200	130	140	160	130	140	160	190	
E- Seat tube angle	74.5°	74°	73.5°	73°	72.75°	74°	73.5°	73°	72.75°	74.5°	74.5°	74°	74°	73.5°	73°	72.5°	
F- Head tube angle	71.5°	71.5°	71.5°	73°	73.25°	71.75°	71.75°	73.25°	73.25°	71°	71.75°	71.75°	71.5°	72°	72°	72°	
G- Bottom bracket drop	72	72	72	70	70	72	72	70	70	74	58	58	72	70	70	68	
H- Fork rake	52	52	52	43	43	52	52	43	43	52	52	52	48	48	48	48	
I- Trail	59	59	59	59	57	58	58	58	58	63	58	58	65	61	61	61	
J- Stand over height	724	750	767	798	823	746	770	802	831	714	736	764	739	767	793	830	
K- Wheelbase	975	991	1006	999	1010	989	1003	997	1010	982	990	1004	1032	1043	1060	1078	
L- Stack	522	541	564	590	610	539	563	593	612	538	543	567	552	570	589	616	
M- Reach	361	371	378	386	393	372	378	386	393	359	370	378	397	406	415	425	

ROAD

General Road

Size	S	M	L	XL
A- Seat tube length C/TOP	460	490	520	550
B- Horizontal Top tube length	529	550	572	593
C- Chainstay length C/C	425	425	425	425
D- Head tube height	101	125	150	180
E- Seat tube angle	72.5°	72.5°	72.5°	72.5°
F- Head tube angle	69.5°	71.1°	72.5°	72.5°
G- Bottom bracket drop	70	70	70	70
H- Fork rake	50	50	50	50
I- Trail	83	83	83	83
J- Stand over height	719	749	778	807
K- Wheelbase	1006	1013	1021	1042
L- Stack	518	547	576	605
M- Reach	366	378	390	402

ADVENTURE

General Gravel

Size	S	M	L	XL
A- Seat tube length C/TOP	460	490	520	550
B- Horizontal Top tube length	529	550	572	593
C- Chainstay length C/C	425	425	425	425
D- Head tube height	101	125	150	180
E- Seat tube angle	72.5°	72.5°	72.5°	72.5°
F- Head tube angle	69.5°	71.1°	72.5°	72.5°
G- Bottom bracket drop	70	70	70	70
H- Fork rake	50	50	50	50
I- Trail	83	83	83	83
J- Stand over height	719	749	778	807
K- Wheelbase	1006	1013	1021	1042
L- Stack	518	547	576	605
M- Reach	366	378	390	402

ADVENTURE

Garibaldi AL-G2-G3

Garibaldi 4

Size	S	M	L	XL		XS	S	M	L	XL
A- Seat tube length C/TOP	460	490	520	550		430	460	490	520	550
B- Horizontal Top tube length	527	545	567	586		508	526	545	568	588
C- Chainstay length C/C	430	430	430	430		430	430	430	430	430
D- Head tube height	120	140	160	180		95	110	130	150	170
E- Seat tube angle	73.75°	73.5°	73°	72.75°		74°	73.75°	73.5°	73°	72.75°
F- Head tube angle	69.5°	71°	71.5°	72°		69.25°	69.75°	71°	71.5°	72°
G- Bottom bracket drop	72	72	72	72		72	72	72	72	72
H- Fork rake	48	48	48	48		50	50	50	50	50
I- Trail	81	71	64	61		80	77	69	62	59
J- Stand over height	742	769	793	817		708	729	769	786	813
K- Wheelbase	1024	1032	1046	1057		1005	1019	1024	1038	1057
L- Stack	543	567	588	609		529	545	569	589	610
M- Reach	369	377	387	397		354	367	377	388	398

ELECTRIC

e-Urbania 2-3

e-Espace 2-3

e-Espace 4

Size	S	M	L		S/M	M/L		S	M	L
A- Seat tube length C/TOP	435	470	505		390	430		400	445	490
B- Horizontal Top tube length	586	602	619		578	617		555	600	640
C- Chainstay length C/C	450	450	450		450	450		450	450	450
D- Head tube height	135	160	185		185	185		140	170	200
E- Seat tube angle	74°	73.5°	73°		74.5°	73.5°		74.5°	73.5°	72.5°
F- Head tube angle	71°	71°	71°		70°	70.5°		71.5°	71.5°	71.5°
G- Bottom bracket drop	65	65	65		65	65		70	70	70
H- Fork rake	50	50	50		50	50		38	38	38
I- Trail	68	68	68		71	68		75	75	75
J- Stand over height	747	776	805		565	584		548	569	590
K- Wheelbase	1096	1107	1120		1108	1130		1095	1107	1123
L- Stack	581	604	629		608	626		637	665	694
M- Reach	419	423	428		405	432		378	403	427

ALL-TERRAIN

	Gros Louis 0				Gros Louis 1				Gros Louis 2				Duchess 2		Gros Louis 3				Big Will
Grandeurs	S	M	L	S	M	L	XL	S	M	L	XL	S	M	S	M	L	XL	OS	
A- Seat tube length C/TOP	406	457	505	395	445	495	545	395	445	495	545	355	406	395	445	495	545	320	
B- Effective Top tube length	580	605	625	594	616	641	664	586	614	636	662	575	595	586	614	636	662	544	
C- Chainstay length C/C	445	445	445	440	440	440	440	440	440	440	440	440	440	440	440	440	440	430	
D- Head tube height	100	110	130	105	115	125	135	105	115	125	135	100	110	105	115	125	135	110	
E- Seat tube angle	73.5°	73°	73°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73°	73°	73.5°	73.5°	73.5°	73.5°	71°	
F- Head tube angle	68.5°	68.5°	68.5°	70.5°	70.5°	70.5°	70.5°	69°	69°	69°	69°	69°	69°	69°	69°	69°	69°	69°	
G- Bottom bracket drop	60	60	60	68	68	68	68	68	68	68	68	68	68	68	68	68	68	60	
H- Fork rake	45	45	45	40	40	40	40	51	51	51	51	51	51	51	51	51	51	51	
I- Trail	95	95	95	93	93	93	93	92	92	92	92	92	92	92	92	92	92	89	
J- Stand over height	694	735	777	728	744	763	781	726	742	761	780	742	762	726	742	761	780	733	
K- Wheelbase	1103	1123	1145	1105	1126	1151	1175	1129	1153	1177	1202	1111	1132	1129	1153	1177	1202	1065	
L- Stack	586	595	614	614	623	632	642	604	614	623	632	587	596	604	614	623	632	568	
M- Reach	406	423	437	434	453	475	494	434	454	475	496	423	440	434	454	475	496	390	

ALL-TERRAIN

	Trust 264			
Size	XS	S	M	L
A- Seat tube length C/TOP	330	381	432	481
B- Horizontal Top tube length	528	541	563	580
C- Chainstay length C/C	430	430	430	430
D- Head tube height	90	100	110	165
E- Seat tube angle	74.5°	74°	73°	73°
F- Head tube angle	69°	69°	69°	69°
G- Bottom bracket drop	40	40	40	40
H- Fork rake	40	40	40	40
I- Trail	92	92	92	92
J- Stand over height	720	744	774	850
K- Wheelbase	1043	1052	1064	1082
L- Stack	559	566	578	596
M- Reach	372	378	387	399

JUNIOR

	Trust 241 boy	Trust 241 girl	Trust 201 boy	Trust 201 girl
Size	OS	OS	OS	OS
A- Seat tube length C/TOP	305	305	240	240
B- Horizontal Top tube length	527	527	453	453
C- Chainstay length C/C	405	405	375	375
D- Head tube height	100	100	100	100
E- Seat tube angle	72°	72°	71°	71°
F- Head tube angle	69°	69°	69°	69°
G- Bottom bracket drop	45	45	30	30
H- Fork rake	40	40	42	42
I- Trail	72	72	51	51
J- Stand over height	638	629	526	510
K- Wheelbase	986	986	878	878
L- Stack	521	521	445	445
M- Reach	358	358	300	300

HYBRID

		Urbania 1-Deville				Urbania 3-4-5				W's Urbania 3-4-5			
Size		S	M	L	XL	S	M	L	XL	S	M	L	
A-	Seat tube length C/TOP	435	470	505	540	435	470	505	540	400	430	460	
B-	Horizontal Top tube length	545	568	591	615	545	567	590	613	522	543	565	
C-	Chainstay length C/C	450	450	450	450	450	450	450	450	450	450	450	
D-	Head tube height	125	150	180	210	125	150	180	210	120	135	160	
E-	Seat tube angle	74°	73.5°	73°	72.5°	74°	73.5°	73°	72.5°	75°	74.5°	74°	
F-	Head tube angle	71°	71°	72°	72°	70.5°	70.5°	71°	71°	69°	70.5°	70.5°	
G-	Bottom bracket drop	70	70	65	65	70	70	65	65	70	70	70	
H-	Fork rake	45	45	45	45	50	50	50	50	50	50	50	
I-	Trail	65	65	59	59	68	68	65	65	78	70	68	
J-	Stand over height	758	781	813	843	741	768	802	831	719	742	769	
K-	Wheelbase	1045	1064	1075	1093	1055	1074	1089	1108	1056	1061	1077	
L-	Stack	551	580	607	635	551	574	599	628	540	559	584	
M-	Reach	387	396	405	415	387	397	407	415	377	388	398	

HYBRID

		MX2-MX4		
Size		S	M	L
A-	Seat tube length C/TOP	385	435	485
B-	Horizontal Top tube length	572	605	641
C-	Chainstay length C/C	440	440	440
D-	Head tube height	110	125	140
E-	Seat tube angle	73.5°	73°	72.5°
F-	Head tube angle	69°	69°	69°
G-	Bottom bracket drop	63	63	63
H-	Fork rake	46	46	46
I-	Trail	83	83	83
J-	Stand over height	772	801	829
K-	Wheelbase	1087	1115	1146
L-	Stack	618	632	646
M-	Reach	389	412	437

HYBRID

		Espace 4-5			Espace 4-5 Step	
Size		S	M	L	S/M	M/L
A-	Seat tube length C/TOP	440	470	500	410	440
B-	Horizontal Top tube length	570	596	624	539	570
C-	Chainstay length C/C	450	450	450	450	450
D-	Head tube height	160	185	210	140	160
E-	Seat tube angle	73.5°	73°	72.5°	74.5°	73.5°
F-	Head tube angle	71°	71°	71°	70°	71°
G-	Bottom bracket drop	70	65	65	70	70
H-	Fork rake	50	50	50	50	50
I-	Trail	65	65	65	71	71
J-	Stand over height	725	732	766	639	661
K-	Wheelbase	1071	1095	1118	1060	1071
L-	Stack	586	604	628	563	586
M-	Reach	397	410	425	383	397

HYBRID

		Monsieur			Madame Madame Luxe	
Size		S/M	M/L		S/M	M/L
A-	Seat tube length C/TOP	500	550		430	480
B-	Horizontal Top tube length	590	620		575	600
C-	Chainstay length C/C	450	450		450	450
D-	Head tube height	130	165		175	200
E-	Seat tube angle	72.5°	72°		73.5°	73°
F-	Head tube angle	71°	71°		71°	71°
G-	Bottom bracket drop	65	65		65	65
H-	Fork rake	50	50		50	50
I-	Trail	65	65		65	65
J-	Stand over height	768	795		617	625
K-	Wheelbase	1082	1107		1080	1100
L-	Stack	567	600		610	634
M-	Reach	411	425		394	406

JUNIOR

	Atom 26 Stella 26	Atom 24	Stella 24	Atom 20	Stella 20
Size	OS	OS	OS	OS	OS
A- Seat tube length C/TOP	381	305	305	240	240
B- Horizontal Top tube length	543	528	528	454	454
C- Chainstay length C/C	430	405	405	375	375
D- Head tube height	155	130	130	120	120
E- Seat tube angle	73°	72°	72°	71°	71°
F- Head tube angle	69°	69°	69°	69°	69°
G- Bottom bracket drop	40	45	45	30	30
H- Fork rake	40	40	40	42	42
I- Trail	91.5	71.5	71.5	51.2	51.2
J- Stand over height	710	610	593	515	502
K- Wheelbase	1052	986	986	878	878
L- Stack	554	505	505	433	433
M- Reach	384	375	364	304	304

JUNIOR

	Rapido 241	Rapido 242	Rapido 201	Rapido 202	Rapido 203
Size	OS	OS	OS	OS	OS
A- Seat tube length C/TOP	305	305	240	240	240
B- Horizontal Top tube length	511	508	445	448	448
C- Chainstay length C/C	405	405	375	375	366
D- Head tube height	100	100	90	90	90
E- Seat tube angle	72.5°	73°	71.5°	71.5°	71.5°
F- Head tube angle	70.5°	70°	69°	69°	69°
G- Bottom bracket drop	45	45	30	45	45
H- Fork rake	33	45	40	35	35
I- Trail	73	63	55	60	60
J- Stand over height	674	620	536	490	511
K- Wheelbase	953	969	872	862	853
L- Stack	526	473	437	420	420
M- Reach	345	363	299	308	308

JUNIOR

	F20 boy	F20 girl	F16 boy	F16 girl	F14 boy	F14 girl	F12 boy	F12 girl	Mini Will
Size	OS	OS	OS	OS	OS	OS	OS	OS	OS
A- Seat tube length C/TOP	240	240	205	205	190	190	170	170	127
B- Horizontal Top tube length	448	448	387	387	355	355	328	328	N/A
C- Chainstay length C/C	366	366	326	326	285	285	235	235	238
D- Head tube height	90	90	90	90	90	90	80	80	70
E- Seat tube angle	71.5°	71.5°	70°	70°	70°	70°	70°	70°	72°
F- Head tube angle	69°	69°	69°	69°	69°	69°	69°	69°	72°
G- Bottom bracket drop	45	45	0	0	0	0	15	15	N/A
H- Fork rake	35	35	25	25	25	25	25	25	25
I- Trail	60	60	51	51	42	42	33	32	23
J- Stand over height	511	511	432	432	406	383	358	347	N/A
K- Wheelbase	853	853	747	747	673	673	600	600	566
L- Stack	420	420	344	334	314	314	260	260	266
M- Reach	308	308	265	265	241	241	233	233	212